



# IECEX Certificate of Conformity

## INTERNATIONAL ELECTROTECHNICAL COMMISSION IEC Certification Scheme for Explosive Atmospheres

for rules and details of the IECEx Scheme visit [www.iecex.com](http://www.iecex.com)

Certificate No.: IECEx INE 14.0043X Issue No: 1 Certificate history:  
Status: Current Page 1 of 5 Issue No. 1 (2016-12-01)  
Date of Issue: 2016-12-01 Issue No. 0 (2014-07-25)  
Applicant: SICE Srl  
Via G. Bartolucci, 16  
61020 Borgo Santa Maria - Pesaro (PU)  
Italy  
Equipment: Fog Horn type NV-V  
Optional accessory:  
Type of Protection: d  
Marking: Ex d IIB T5 Gb

Approved for issue on behalf of the IECEx  
Certification Body:

Thierry HOUEIX

Position:

Ex Certification Officer

Signature:  
(for printed version)

Date:

2016-12-01



1. This certificate and schedule may only be reproduced in full.
2. This certificate is not transferable and remains the property of the issuing body.
3. The Status and authenticity of this certificate may be verified by visiting the [Official IECEx Website](http://www.iecex.com).

Certificate issued by:

INERIS  
Institut National de l'Environnement Industriel  
et des Risques, BP n2  
Parc Technologique ALATA  
France

# INERIS



# IECEX Certificate of Conformity

Certificate No: IECEx INE 14.0043X

Issue No: 1

Date of Issue: 2016-12-01

Page 2 of 5

Manufacturer: **SICE SRL**  
Via G. Bartolucci, 16  
61020 Borgo Santa Maria - Pesaro (PU)  
Italy

Additional Manufacturing location(s):

This certificate is issued as verification that a sample(s), representative of production, was assessed and tested and found to comply with the IEC Standard list below and that the manufacturer's quality system, relating to the Ex products covered by this certificate, was assessed and found to comply with the IECEx Quality system requirements. This certificate is granted subject to the conditions as set out in IECEx Scheme Rules, IECEx 02 and Operational Documents as amended.

#### STANDARDS:

The electrical apparatus and any acceptable variations to it specified in the schedule of this certificate and the identified documents, was found to comply with the following standards:

**IEC 60079-0 : 2011** Explosive atmospheres - Part 0: General requirements  
Edition:6.0

**IEC 60079-1 : 2007-04** Explosive atmospheres - Part 1: Equipment protection by flameproof enclosures "d"  
Edition:6

*This Certificate **does not** indicate compliance with electrical safety and performance requirements other than those expressly included in the Standards listed above.*

#### TEST & ASSESSMENT REPORTS:

*A sample(s) of the equipment listed has successfully met the examination and test requirements as recorded in*

#### Test Report:

[FR/INE/ExTR14.0037/00](#)

[FR/INE/ExTR14.0037/01](#)

#### Quality Assessment Report:

[FR/INE/QAR12.0006/03](#)



# IECEX Certificate of Conformity

Certificate No: IECEx INE 14.0043X

Issue No: 1

Date of Issue: 2016-12-01

Page 3 of 5

## Schedule

### EQUIPMENT:

*Equipment and systems covered by this certificate are as follows:*

The NV-V. Fog-horn serie. is an equipment protected by flameproof enclosure.  
The enclosure get the degree of protection IP66 in accordance with IEC 60529 standard.  
The enclosure is fixed by stainless steel screws of quality 8.8

### CONDITIONS OF CERTIFICATION: YES as shown below.

- The screws used for the assembly of the various parts of explosion-proof enclosures must be of quality higher or equal to class 8.8.
- The gap of flameproof joints is less than the values specified in the tables of the IEC 60079-1 standard.
- The width of the different flameproof joints is superior to the values specified in tables of the IEC 60079-1 standard.



# IECEX Certificate of Conformity

Certificate No: IECEx INE 14.0043X

Issue No: 1

Date of Issue: 2016-12-01

Page 4 of 5

**DETAILS OF CERTIFICATE CHANGES (for issues 1 and above):**

Purpose of the Issue 1:

Introduction of IP6X according to IEC 60529 without mechanical modification.



# IECEX Certificate of Conformity

Certificate No: IECEx INE 14.0043X

Issue No: 1

Date of Issue: 2016-12-01

Page 5 of 5

## Additional information:

### PARAMETERS RELATING TO THE SAFETY

Maximum supply voltage : 24 Vdc

Frequency : 780 Hz

Maximum dissipated power : 80 W

### MARKING

Marking has to be readable and indelible; it has to include the following indications:

- SICE SRL  
1 – 61020 Borgo Santa Maria – Pesaro (PU)
- IECEx INE 14.0043X
- (Serial number)
- Ex d IIB T5 Gb
- IP66
- $-40^{\circ}\text{C} \leq T_{\text{amb}} \leq +55^{\circ}\text{C}$
- WARNING: DO NOT OPEN IF ANY EXPLOSIVE ATMOSPHERE MAY BE PRESENT  
DO NOT OPEN WHEN ENERGIZED

### ROUTINE EXAMINATIONS AND TESTS

In accordance with § 16.2 of the IEC 60079-1 standard, the equipment defined above is exempted of routine test in owing to the fact that it has undergone a static type test at 4 times the reference pressure under 34.8 bar for ambient down to  $-40^{\circ}\text{C}$ .